



PRODUCT-DETAILS

ACS510-01-03A3-4**ACS510-01-03A3-4,3.3A,380V,IP21****General Information**

Global Commercial Alias	ACS510-01-03A3-4
Product ID	3ABD00015741-D
ABB Type Designation	ACS510-01-03A3-4
Catalog Description	ACS510-01-03A3-4,3.3A,380V,IP21
Long Description	ACS510-01-03A3-4,3.3A,380V,IP21

Ordering

Country of Origin	China (CN)
Customs Tariff Number	85044099
Invoice Description	ACS510-01-03A3-4,3.3A,380V,IP21
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions

Product Net Weight	6.1 kg
Product Net Depth / Length	465 mm
Product Net Height	365 mm
Product Net Width	225 mm
Package Level 1 Depth / Length	490 mm
Package Level 1 Height	400 mm
Package Level 1 Width	240 mm
Package Level 1 Units	1 carton

Technical

Number of Phases	3
Degree of Protection	IP21
Enclosure Type NEMA	Type1
Frequency (f)	47.5 ... 63 Hz
Frame Size	R1
Input Voltage (U_{in})	380 ... 480 V
Mounting Type	Wall-mounted_NO UNIT\$
Output Current, Normal Use (I_n)	3.3 A
Output Power, Normal Use (P_n)	1.1 kW
Apparent Power Output	2.3 kV·A
Efficiency Level	IE2
Standby Loss	11 W
Complete Drive Module Efficiency (61800-9-2)	

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	33 W	1.4 %	78.5 %
0 / 50 %	36 W	1.6 %	86.8 %
0 / 100 %	42 W	1.8 %	91.3 %
50 / 25 %	34 W	1.5 %	88.1 %
50 / 50 %	38 W	1.6 %	92.8 %
50 / 100 %	45 W	2 %	95.2 %
90 / 50 %	40 W	1.7 %	95.7 %
90 / 100 %	50 W	2.2 %	97 %

Temperature Rating	40 °C
--------------------	-------

External Classifications and Standards

UNSPSC	39122001
--------	----------

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Additional Information

Product Name

Frequency Converter

Categories

Drives → Low Voltage AC Drives → General Purpose Drives → ACS510 - Wall-mounted drive

