



PRODUCT-DETAILS

# DI562

Digital input module. 16 DI sink/source: 24VDC (DI562)



□□□□	
□□□□	DI562
□□□□	1TNE968902R2102
ABB□□□□	DI562
□□□□□(EAN)	6943747170220
□□□□	Digital input module. 16 DI sink/source: 24VDC (DI562)
□□□□	DI562: S500-eCo Digital input module. 16 DI sink/source: 24VDC. 1-wire.

□□□□	
CN8	85371091
□□□□	Digital input module. 16 DI sink/source: 24VDC (DI562)
□□□□	□
□□□□	1 piece
□□□□	1 piece
□□□□	piece

□□	
□□□□	0.116 kg

0000	135 mm
0000	74 mm
0000	34 mm
00	0.215 kg
100000	93 mm
100000	63 mm
100000	170 mm
100000	1 0

0000	
00	16 DI sink/source: 24VDC
000000	16
0000/000	0
000000	AC/DC
0000	5 mA
000000	0 ... 30 V
0000 ( T)	8 ... 8 ms
0000	Pluggable
0000	IP20
000000	Operation 0 ... +60 °C Storage -40 ... +70 °C

0000	
0000	DI562
00	Distributed Automation I/Os

00000000	
e0	27-24-22-04
ETIM 8	EC001419 - PLC digital I/O-module
UNSPSC	32151705

0000	
SCIP	2a5298d5-fdc0-42f2-82a6-f96a09eb394f China (CN)
WEEE B2C / B2B	Business To Business
WEEE 00	5. Small Equipment (No External Dimension More Than 50 cm)

00	
000000 000	→ PLCs → AC500-eCo → S500-eCo I/O 00

